TECHNICAL DATA SHEET



CIRCULAR TPS POWER CABLES – MASCP*G/SWA SERIES STEEL WIRE ARMOURED MULTICORE + EARTH MASCP3G/2.5SWA - 2 Core 2.5mm² + E2.5mm² TCW/PVC/PVC/SWA/PVC

APPLICATION: For mains and sub-mains requiring mechanical protection (For fixed applications) Industrial and Commercial. Suitable for Direct Burial.

	AS/NZS1125 , AS/NZS3008 ,AS/NZS3808					
Standards	AS/NZS5000.1 , IEC 60332-1-2,					
	IEC60332-3-22 , IEC 60079.14 ,					
	RoHS Compliant					
Rated Voltage	0.6/1kV					
Conductor	Stranded Tinned Copper - Class 2	//				
Stranding	2x2.5+E2.5 (7/0.67+7/0.67)					
Insulation	0.8mm PVC V90					
Core Colours	Red/Black/Green-Yellow					
Seperator	PET Tape or Non-Woven Tape					
Bedding	SPVC 5V-90 Flame Retardant					
Armour	Galvanised Steel Wire					
Sheath	SPVC ,5V-90 ,Flame Retardant					
	UV Resistant PVC ,Black					
Operating Temp.	-20°C to +90°C					
Max. DC Resistance @ 20°C (Ω/KM)	7.41					
Single Phase Current (A) Unenclosed @ 30°C Fixed Touching	30 Amps					
Single Phase Current (A) Buried Direct in Ground	33 Amps					
Single Phase Voltage Drop (@ 50Hz & 75°C) mV/A.m	18.0					

Product	Cores	Conductor	O.D over Bedding	GSWA Size	O.D over Armour	Outer Sheath Thickness	Nominal Cable O.D	Cable Weight
Maser Ordering Code	Number of Cores	mm²	mm	mm	mm	mm	mm	Kg/km
MASCP3G/2.5SWA	2C+E	2x2.5+E2.5	11.5	0.9	13.3	1.8	16.9	437

Jacket Marking

MASER MASCP3G/2.5SWA 2x2.5MM+E2.5MM TCW/PVC/PVC/SWA/PVC V-90 AS/NZS5000.1 ELECTRICAL CABLE 0.6/1KV (MANF. DATE) (METRE MARK)

Recommended Gland = MM-E1W-20L

Disclaimer: Although Maser Communications NZ Limited makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice. Maser provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Maser be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Maser has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

