TECHNICAL DATA SHEET



VARIABLE SPEED DRIVE CABLES (VSD) – MASVSD*G SERIES UNARMOURED MULTICORES + EARTH (Split Earth for 6mm upwards) MASVSD4G1.5 - 3 Core 1.5mm² + E1.5mm² TCW/XLPE/PVC/AL+TCWB/PVC

APPLICATION: Suitable for use with VSD's where RFI and EMC protection is required. Fixed Installations.

Standards	AS/NZS1125 , AS/NZS3008 , AS/NZS5000.1 , IEC 60332-1-2 IEC60228 , RoHS Compliant		
Rated Voltage	0.6/1kV		
Conductor	Stranded Tinned Copper Class 5		- CONDUCTORS
Stranding	3x1.5+E1.5 (30/0.25+30/0.25)		
Insulation	0.7mm XLPE X-90	5500	- INSULATION
Core Colours	Red/White/Blue/Green-Yellow		- BEDDING
Bedding	SPVC 5V-90		
Screen	100% Aluminium Foil		— FOIL SCREEN
Screen	85% Tinned Copper Braid		- TINNER COPPER BRAID
Outer Sheath	SPVC , 5V-90, Flame Retardant UV Stabilised , Black	Repairment	— OUTER SHEATH
Operating Temp.	-20°C to +90°C		
Max. DC Resistance @ 20°C (Ω/KM)	13.6	MASVSD46	
3 Phase Current (A) Unenclosed @ 30°C Fixed Touching	21 Amps		
3 Phase Voltage Drop (@ 50Hz & 90°C) mV/A.m	30.0		

Product	Cores	Conductor	Approx. O.D over Braid	Outer Sheath Thickness	Approx Cable O.D	Approx. Cable Weight
Maser Product Code	Number of Cores	mm²	mm	mm	mm	Kg/km
MASVSD4G1.5	3C+E	3x1.5+E1.5	9.9	1.8	13.8	318

Jacket Marking

MASER MASVSD4G1.5 3x1.5MM+E1.5MM TCW/XLPE/PVC/AL+TCWB/PVC X-90 AS/NZS5000.1 ELECTRICAL CABLE 0.6/1KV (MANUFACTURE DATE) (MTR)

Recommended Gland = MM-M25-16E or MM-M25-18E

Disclaimer: Although Maser Communications NZ Limited makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice. Maser provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Maser be liable for any damages (including consequential, incidental, special, punitive, or exemplary damages) whatsoever, even if Maser has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

