

## EX-E1FUNV Type Armoured Glands Double Compression Ex Flameproof (Type "D")

**For Explosion and Flameproof glanding of SWA circular cables.**

Nickel Plated Brass / Metric Thread / Locknut / IP66 / Displacement Seal

Temperature: Standard seal (Nitrile) -20°C to +80°C. On request (Silicone) -60°C to +180°C



Accessories: PVC/LSF Shrouds , Earth Tags , Locknuts

Also available on request in Stainless Steel (304 or 316L) & Aluminium (6082)

Standards: IECEx , ATEX , EAC. Protection Type Ex d , Ex e , Ex t.



Maser Gland Code	Gland Size Metric	Metric Entry Thread "C"	Thread Length (mm) "E"	Cable Range "A" Minimum (mm)	Cable Range "A" Maximum (mm)	Cable Range "B" Minimum (mm)	Cable Range "B" Maximum (mm)	SWA Diameter Range (mm)
MM-EX-E1FUNV-20S16	20S16	M20	15	3.2	8.6	6.2	13.1	0.8-1.25
MM-EX-E1FUNV-20S	20S	M20	15	6.2	11.5	9.6	15.9	0.8-1.25
MM-EX-E1FUNV-20	20	M20	15	8.0	13.9	12.5	20.9	0.8-1.25
MM-EX-E1FUNV-25S	25S	M25	15	11.2	19.9	14.0	22.0	1.25-1.6
MM-EX-E1FUNV-25	25	M25	15	11.2	19.9	18.3	26.0	1.25-1.6
MM-EX-E1FUNV-32	32	M32	15	17.1	26.3	23.7	33.9	1.6-2.0
MM-EX-E1FUNV-40	40	M40	15	22.1	32.1	28.0	40.3	1.6-2.0
MM-EX-E1FUNV-50S	50S	M50	15	29.5	38.1	35.2	46.7	2.0-2.5
MM-EX-E1FUNV-50	50	M50	15	35.6	44.0	40.5	53.0	2.0-2.5
MM-EX-E1FUNV-63S	63S	M50	15	40.1	49.9	45.6	59.4	2.0-2.5
MM-EX-E1FUNV-63	63	M63	15	47.2	56.0	54.6	65.8	2.0-2.5
MM-EX-E1FUNV-75S	75S	M75	15	52.8	61.9	59.0	72.0	2.0-2.5
MM-EX-E1FUNV-75	75	M75	15	59.1	68.0	66.7	78.5	2.5-3.0
MM-EX-E1FUNV-90	90	M90	24	66.6	80.0	76.2	90.4	3.15-4.0
MM-EX-E1FUNV-100	100	M100	24	76.0	91.0	86.1	101.5	3.15-4.0



**Disclaimer:** Although Maser Communications NZ Limited makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice. Maser provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Maser be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Maser has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.