## **TECHNICAL DATA SHEET**



## INSTRUMENTATION CABLES – MAS SERIES INDIVIDUAL & OVERALL SCREEN MAS5010ESCS – 10 Pair 0.5mm<sup>2</sup> TCW ESCS

**APPLICATION:** Instrumentation Cable suitable for Industrial Applications.

Standards	AS/NZS1125 , AS/NZS3808 ,			
	IEC 60332-1-2 , IEC 60332-3-22 ,			
	IEC 60079.14 , <b>RoHS</b> Compliant			
Conductor	Stranded Tinned Copper Conductor			
	0.5mm (7/0.30mm)			
Insulation	0.4mm PVC ,V90HT ,			
	White/Black Numbered Pair's			
Screen	Individual & Overall Shield of			
	Ali/Polyester Foil c/w Tinned Copper			
	Drain Wire (7/0.20mm)			
Armour	Not Applicable			
Sheath	SPVC , 5V-90 , Flame Retardant ,			
	UV Resistant Black PVC			
Operating Temp.	-20°C to +90°C			
Max. Rated Voltage	110VRMS/150VDC			
Insulation Voltage Rating	300V			
Max. Current Rating	3.2 Amo			
Max. DC Resistance @ 20°C	38.4 Ω/km			
Max. Capacitance Cond. To	145 pF/m			
Cond. (Screened)				
Max. Capacitance Cond. To	240 pF/m			
Scr. (Screened)				
Inductance @ 1kHz	1.00 mH/km			
L/R Ratio @ 1kHz	13.7 μΗ/Ω			
Insulation Resistance	140 MΩ/km			
Bending Radius (Fixed)	10D (D = Cable Diameter)			



Product	Pairs	Conductor	Insulation Thickness	Outer Sheath Thickness	Approx Cable O.D	Approx. Cable Weight
	Number of					
Maser Ordering Code	Pairs	mm²	mm	mm	mm	Kg/km
MAS5010ESCS	10 Pair	0.5mm	0.4	1.2	14.8	251

## **Jacket Marking**

MASER MASSO10ESCS INSTRUMENTATION CABLE 10PR 0.5mm² TCW/PVC/ESCS/PVC V90 UV ROHS (MANUFACTURE DATE) (METRE MARK)

Recommended Gland = MM-A1A2-25L

Disclaimer: Although Maser Communications NZ Limited makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice. Maser provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Maser be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Maser has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

