


## CIRCULAR TPS POWER CABLES – MASCPX\*G/SWA SERIES

### STEEL WIRE ARMoured MULTICORE + EARTH

### MASCPX3G35.0SWA - 2 Core 35.0mm<sup>2</sup> + E10.0mm<sup>2</sup>

### TCW/XLPE/PVC/SWA/PVC

**APPLICATION:** For mains and sub-mains requiring mechanical protection (For fixed applications)  
Industrial and Commercial. Suitable for Direct Burial.

<b>Standards</b>	AS/NZS1125 , AS/NZS3008 ,AS/NZS3808 AS/NZS5000.1 , IEC 60332-1-2, IEC60332-3-22 , IEC 60079.14 , <b>RoHS</b> Compliant	
<b>Rated Voltage</b>	0.6/1kV	
<b>Conductor</b>	Stranded Tinned Copper - Class 2	
<b>Stranding</b>	2x35.0+E10.0 (19/1.53+7/1.35)	
<b>Insulation</b>	0.9mm XLPE X-90	
<b>Core Colours</b>	Red/Black/Green-Yellow	
<b>Seperator</b>	PET Tape or Non-Woven Tape	
<b>Bedding</b>	SPVC 5V-90 Flame Retardant	
<b>Armour</b>	Galvanised Steel Wire	
<b>Sheath</b>	SPVC ,5V-90 ,Flame Retardant UV Resistant PVC ,Black	
<b>Operating Temp.</b>	-20°C to +90°C	
<b>Max. DC Resistance @ 20°C (Ω/KM)</b>	0.524	
<b>Single Phase Current (A) Unenclosed @ 30°C Fixed Touching</b>	178 Amps	
<b>Single Phase Current (A) Buried Direct in Ground</b>	219 Amps	
<b>Single Phase Voltage Drop (@ 50Hz &amp; 90°C) mV/A.m</b>	1.35	

Product	Cores	Conductor	O.D over Bedding	GSWA Size	O.D over Armour	Outer Sheath Thickness	Nominal Cable O.D	Cable Weight
Maser Ordering Code	Number of Cores	mm <sup>2</sup>	mm	mm	mm	mm	mm	Kg/km
MASCPX3G35.0SWA	2C+E	2x35.0+E10.0	20.8	1.6	24.0	1.8	27.6	1790

#### Jacket Marking

MASER MASCPX3G35.0SWA 2x35MM+E10MM TCW/XLPE/PVC/SWA/PVC X-90 AS/NZS5000.1 ELECTRICAL CABLE 0.6/1KV (MANF. DATE) (METRE MARK)

**Recommended Gland = MM-E1W-32S**

**Disclaimer:** Although Maser Communications NZ Limited makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice. Maser provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Maser be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Maser has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.